

[Web Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼
[Sign in](#)

Google patents

lock manager and parent lock and count and nodes

Search Patents

[Advanced Patent Search](#)

Patents Showing:  View as:  Patents 1 - 10 on **lock manager and parent lock and count and nodes**. (0.06 seconds)

Sort by **relevance** | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

Hybrid **lock** escalation and de-escalationprotocols

US Pat. 5414839 - Filed Jun 19, 1992 - Digital Equipment Corporation

The data for each node includes information about a **parent** and children, ... The **lock manager** utilities 113 provide a set of **lock nodes** with predefined ...

Telecommunications network management method and system

US Pat. 6349334 - Filed Jun 15, 1998 - Nokia Telecommunications Oy

Thus, the **lock** group objects behave as **nodes** in a DAG because there can never ... is called a **parent** whereas the object referenced to is called a child): 1.

...

Distributed resource management system using hashing operation to direct ...

US Pat. 5301337 - Filed Apr 6, 1990 - Bolt Beranek and Newman Inc.

Decrement total **lock count** ... 0) (/ \* If there is a **parent** resource, pass back its pointer \*/ \* so its child **count** can get decremented later. ...

Adaptive data **manager**

US Pat. 6904432 - Filed Nov 30, 2001 - Intelligent Medical Objects, Inc.

Note that the **parent** of the mentioned identifier must be read/write state: ...The **lock** is based on the owner and session's code, thus allowing the same ...Data transfer control device and electronic equipment

US Pat. 6775245 - Filed Oct 25, 1999 - Seiko Epson Corporation

A node wherein all **nodes** connected to the ports thereof are own-children becomes

... defines the protocol for transactions such as read, write, and **lock**. ...

Method of and apparatus for dynamically enumerating objects representing ...

US Pat. 6366964 - Filed Oct 22, 1998 - Sony Corporation, Sony Electronics Inc.

This allows address space for potentially up to 64K **nodes** on the bus structure.

... to complete asynchronous data transfers, including read, write and **lock**. ...

System packaging object class defining information

US Pat. 5257371 - Filed Feb 6, 1991 - NEC Corporation

1 illustrates the configuration of one preferred respectively, and **lock** ...

first region generating/updating means 1 generates **parent-child** 11 for storing a

...

Associative search method for heterogeneous databases with an integration ...

US Pat. 5740421 - Filed Apr 3, 1995 - DTL Data Technologies Ltd.

Displaying a minimal list of "display **nodes**" covering 20 the hyperbase. where

covering means that each element in the ... release **lock** from object Errorno ...

Software based methodology for the storage and retrieval of diverse information

US Pat. 6532476 - Filed Nov 13, 1999 - Precision Solutions, Inc.

The new node is then installed 2726 into the **parent** node. ... Size Description

Latch 4 This element stores information during a frame header 3002 **lock**., ...

Software-based methodology for the storage and retrieval of diverse information

US Pat. 6862599 - Filed Jun 20, 2002

The new node is then installed 2726 into the **parent** node. ... Element Size

Description 40 Latch 4 This element stores information during a file header **lock**

, ...

⚡ Stay up to date on these results using the patents RSS feed on lock manager and parent lock and count and nodes.



1 2

[Next](#)

lock manager and parent lock and count and r

Search Patents

[Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2009 Google